

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name YLANG YLANG OIL EXTRA

Code Number EOYLAE

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive Victoria, 3803 Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800

Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 Flammable liquid, category 4
ATO 5 Acute toxicity, oral, category 5
AH 1 Aspiration hazard, category 1

SCI 2 Skin corrosion/irritation, category 2

SS 1 Skin sensitisation, category 1

EDI 2A Eye damage/irritation, category 2A EH A3 Aquatic hazard, acute, category 3 EH C3 Aquatic hazard, chronic, category 3

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H227 Combustible liquid

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H402 Harmful to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignnition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P331 Do NOT induce vomiting.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local

regulation.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

2.3 Other Hazards

Contains Benzyl Benzoate, Benzyl Salicylate, Eugenol, Farnesol, Geraniol and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description YLANG YLANG OIL EXTRA

EC/EINECS 281-092-1 CAS Number 83863-30-3 USCAS Number 8006-81-3

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; ATO 5(3000); EDI 2A; SCI 2; EH A3 H227, H303, H315, H319, H402	23.8000
CAS 104-93-8 EINECS 203-253-7 REACH	para-Cresyl methyl ether (para-Methyl anisole) FL 4;ATO 4(1900);SCI 2;EDI 2A;REP 2;EH A3,C3 H227,H302,H315,H319,H361,H402,H412	10.8000
CAS 140-11-4 EINECS 205-399-7 REACH	Benzyl acetate FL 4;ATO 5(2490);SCI 3;EH A2 H227,H303,H316,H401	8.5000
CAS 93-58-3 EINECS 202-259-7 REACH	Methyl benzoate FL 4;ATO 4(1300);SCI 3 H227,H302,H316	6.5000
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATD 5(4000); ATO 4(1500); EH C2 H302, H313, H411	4.7000
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5(4200);SCI 2;EDI 1;SS 1;EH A2 H303,H315,H317,H318,H401	3.8000
CAS 4602-84-0 EINECS 225-004-1 REACH	Farnesol SCI 2; EDI 2A; SS 1B H315, H317, H319	1.3000
CAS 118-58-1 EINECS 204-262-9 REACH	Benzyl salicylate ATO 5(2200); SS 1B; EH A2,C2 H303,H317,H401,H411	1.2000

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number

EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

CAS 97-53-0 EINECS 202-589-1	Eugenol	1.0000
REACH	ATO 5(2300); SCI 3; EDI 2A; SS 1B; EH A2 H303, H316, H317, H319, H401	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 76

APPEARANCE Mobile liquid

COLOUR Yellow

ODOUR Sweet, slightly spicy, balsamic, rich floral

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

INITIAL BOILING POINT AND

Not available

RANGE

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

EOYLAE Code Number

Version 1 Revised 3/10/2017 3:34:29 PM

UPPER/LOWER FLAMMABILITY

LIMITS

Not available

VAPOUR PRESSURE Not available

VAPOUR DENSITY Not available

0.93 to 0.975 SPECIFIC GRAVITY @ 20 deg C

SOLUBILITIES Insoluble in water

PARTITION COEFF

N-OCTANAL/WATER

Not available

Not available **AUTO-IGNITION TEMPERATURE**

DECOMPOSITION TEMPERATURE Not available

VISCOSITY @ 20 DEG C Not available **EXPLOSIVE PROPERTIES** Not available

OXIDISING PROPERTIES Not available

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

May be harmful if swallowed. LD50 oral (rat) >5000 mg/kg LD50 dermal (rabbit) >5000 mg/kg

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name Not Restricted

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

14.6 Special precautions for user

No relevant information available

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule: Not applicable HS Tariff Code: 3301.29.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

_		12.0			
ŀι	ЛП	IIST	OT	precautionary	pnrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P301+P312	IF SWALLOWED: Immediately call a POISON CENTRE if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305	IF IN EYES:
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P351	Rinse cautiously with water for several minutes.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

P501	Dispose of contents and container in accordance with local regulation.
Wording of a	ny hazard classes listed in section 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
REP 2	Reproductive toxicity, category 2
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of a	ny hazard statements listed in section 3
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Printed on Tuesday, 24 October 2017

GHS: According to 2015/830/EU

Code Number EOYLAE

Version 1 Revised 3/10/2017 3:34:29 PM

References and further information Version 1: GHS format, BV 03/10/2017 Authorised by: JJ 24/10/2017